

Ch. Devi Lal State Institute of Engineering & Technology, Panniwala Mota (Sirsa)

Detail of Movable assests (Lab Equipement) of Electrical Engineering Department (As per Stock Register records)

Annexure-A

Upto 30.04.2025

Sr. No.	Name of Item	Quantity	Date of Purchase	Name of Firm (M/s.)	Purchase value	Issued to whom	Status	
							In working / Not Working condition	If Not Working , repairable or Not (Yes/No)
1	AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 0.5/1A	3	31.03.2005	Satguru Enterprises, Hisar	3885/-	Issued to EE department	In working condition	
2	AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 1/2A	3	31.03.2005	Satguru Enterprises, Hisar	3885/-	Issued to EE department	In working condition	
3	AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 2.5/5A	4	31.03.2005	Satguru Enterprises, Hisar	5180/-	Issued to EE department	In working condition	
4	AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 5/10A	4	31.03.2005	Satguru Enterprises, Hisar	5180/-	Issued to EE department	In working condition	
5	AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 15/30A	2	31.03.2005	Satguru Enterprises, Hisar	2590/-	Issued to EE department	In working condition	
6	AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 1/3/10A	4	31.03.2005	Satguru Enterprises, Hisar	5180/-	Issued to EE department	In working condition	
7	Energy Meter 1-phase Induction type, 250V, Industrial grade, 50Hz, 5-10A	2	11.02.2004	Satguru Enterprises, Hisar	990/-	Issued to EE department	In working condition	

8	Energy Meter, 3-phase, Induction type, 4-wire, 50Hz, 10A, 440V,	2	28.02.2004	Mannu Enterprises, Delhi	2960/-	Issued to EE department	Not in Working condition	Yes, reparable
9	Rheostats 1089 ohms, 0.6A	3	02.01.2004	Zodiac Electrical and Scientific Corporation, Ambala Cantt.	1770/-	Issued to EE department	In working condition	
10	Rheostats 150 ohms,2A	3	02.01.2004	Zodiac Electrical and Scientific Corporation, Ambala Cantt.	1020/-	Issued to EE department	In working condition	
11	Rheostats 0-350 ohms, 1.5A	3	02.01.2004	Zodiac Electrical and Scientific Corporation, Ambala Cantt.	1020/-	Issued to EE department	In working condition	
12	Wattmeter Portable, 150mm	2	12.01.2004	Zodiac Electrical and Scientific Corporation, Ambala Cantt.	2400/-	Issued to EE department	In working condition	
13	Wattmeter Portable, 0/5/10A, 0/250/500V or 0/125/250V	2	12.01.2004	Zodiac Electrical and Scientific Corporation, Ambala Cantt.	2400/-	Issued to EE department	In working condition	
14	Wattmeter Portable, 1-phase, 1/2A, 75/150/300V	4	06.05.2005	Mannu Enterprises, New Delhi	14600/-	Issued to EE department	In working condition	
15	Wattmeter Portable, 1-phase, 5/10A, 150/300/600V	4	06.05.2005	Mannu Enterprises, New Delhi	15600/-	Issued to EE department	In working condition	
16	Wattmeter Portable, 1-phase, 5/10A, 150/300/600V	4	06.05.2005	Mannu Enterprises, New Delhi	15600/-	Issued to EE department	In working condition	
17	Variable Capacitive load 3-phase, 440V, 15A,	1	11.02.2004	Satguru Enterprises, Hisar	11490/-	Issued to EE department	Not in working condition	Yes, reparable
18	Variable Lamp load 3-phase, 2KW, 440V	2	12.01.2004	Zodiac Electrical and Scientific Corporation, Ambala Cantt.	4000/-	Issued to EE department	In working condition	

19	Variable Lamp load 1-phase, 2KW, 230V	2	12.01.2004	Zodiac Electrical and Scientific Cooperation, Ambala Cantt.	4000/-	Issued to EE department	In working condition	
20	Variable Inductance load, 3-phase, 15A, 440V,	1	28.04.2004	Mannu Enterprises, New Delhi	12600/-	Issued to EE department	Not in Working condition	Yes, reparable
21	Variable capacitor, 0-10MFD,	2	02.01.2004	Zodiac Electrical and Scientific Cooperation, Ambala Cantt.	1300/-	Issued to EE department	Not in Working condition	Yes, reparable
22	DC regulated Multiple Output Power Supply 0-30Vdc out, 2A, & 3-15Vdc at 2A	2	28.04.2004	Mannu Enterprises, New Delhi	13000/-	Issued to EE department	In working condition	
23	Digital Meter Multimeter 3.5digit, LCD display	2	25.12.2003	Shree Lalji Traders, Hisar	2808/-	Issued to EE department	In working condition	
24	Inductance boxes. 0-200KHz, accuracy 0.5%	2	22.03.2004	Zodiac Electrical and Scientific Cooperation, Ambala Cantt.	4056/-	Issued to EE department	In working condition	
25	Inductor, 0.8A Choke, 0.4A	2	28.04.2004	Mannu Enterprises, New Delhi	3200/-	Issued to EE department	In working condition	
26	Transformers, 1-phase, 2KVA, 230V, 9A, 50Hz	2	28.04.2004	Mannu Enterprises, New Delhi	5920/-	Issued to EE department	In working condition	
27	Auto Transformers, 3-phase, 0-400V, 15A	2	28.04.2004	Mannu Enterprises, New Delhi	13600/-	Issued to EE department	In working condition	
28	Auto Transformers, 3-phase, 0-400V, 25A	2	28.04.2004	Mannu Enterprises, New Delhi	18200/-	Issued to EE department	In working condition	
29	Induction Motor 3-phase Squirrel Cage, 440V with control panel having voltmeter, ammeter, pulley-belt & spring load arrangement	2	28.04.2004	Mannu Enterprises, New Delhi	23400/-	Issued to EE department	In working condition	
30	Induction motor 1-phase, 1HP, capacitor start, 250V, 50Hz	2	28.04.2004	Mannu Enterprises, New Delhi	4720/-	Issued to EE department	In working condition	

31	Oscilloscope Dual channel, 0-30MHz	2	28.04.2004	Mannu Enterprises, New Delhi	39600/-	Issued to EE department	In working condition	
32	Earth Tester 500V, 0-10-100 ohms	2	28.04.2004	Mannu Enterprises, New Delhi	2960/-	Issued to EE department	In working condition	
33	Stop Watch digital	4	11.02.2004	Satguru Enterprises, Hisar	680/-	Issued to EE department	In working condition	
34	Digital Contact type Tachometer 0-9999rpm, 3.5 digit	2	02.01.2004	Zodiac Electrical and Scientific Corporation, Ambala Cantt.	3800/-	Issued to EE department	In working condition	
35	AC Ammeter Portable Moving Iron dual scale, wiht Bakelite housing 0.5/1A, accuracy 1.0	3	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	4650/-	Issued to EE department	In working condition	
36	AC Voltmeter 150/300V	5	02.09.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	6440/-	Issued to EE department	In working condition	
37	AC Voltmeter 300/600V	5	02.09.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	6440/-	Issued to EE department	In working condition	
38	AC Voltmeter 125/250/500V	4	02.09.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	5380/-	Issued to EE department	In working condition	
39	AC Voltmeter 75/150/300V	4	02.09.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	5380/-	Issued to EE department	In working condition	
40	AC Voltmeter 15/30/75V	4	02.09.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	5380/-	Issued to EE department	In working condition	

41	Shift Register Kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1541/-	Issued to EE department	In working condition	
42	DeMorgan's Theorem Kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1323/-	Issued to EE department	In working condition	
43	4 Bit Multiplexer kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1668/-	Issued to EE department	In working condition	
44	4 Bit Demultiplexer kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1668/-	Issued to EE department	In working condition	
45	BCD to Decimal kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1932/-	Issued to EE department	In working condition	
46	BCD to 7 Segement Kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1725/-	Issued to EE department	In working condition	
47	Half & Full Adder Kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1334/-	Issued to EE department	In working condition	
48	Johnson's kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1495/-	Issued to EE department	In working condition	

49	Study of Counters kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	2530/-	Issued to EE department	In working condition	
50	BCD (Binary) to Grey (Vice-Versa) kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1610/-	Issued to EE department	In working condition	
51	Excess 3 to BCD and Vice Versa kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	2070/-	Issued to EE department	In working condition	
52	Study of Synchronous Counter kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	2415/-	Issued to EE department	In working condition	
53	Decimal to BCD Encoder kit	1	01.02.2007	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	1680/-	Issued to EE department	In working condition	
54	DC-AC Converter, 750VA	2	26.03.2007	Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa	6600/-	Issued to EE department	In working condition	
55	DC-AC Converter, 1400VA	1	26.03.2007	Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa	5150/-	Issued to EE department	In working condition	
56	Voltage Regulator, 1KVA	2	26.03.2007	Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa	2300/-	Issued to EE department	In working condition	
57	Voltage Regulator, 0.5KVA	2	26.03.2007	Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa	1440/-	Issued to EE department	In working condition	

58	Control Circuit Card 750VA	3	26.03.2007	Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa	1485/-	Issued to EE department	In working condition	
59	Battery 12V, 150Ah	2	26.03.2007	Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa	10800/-	Issued to EE department	Not in working condition	Not repairbale
60	Plier 8" (Make: Venus)	6	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	450/-	Issued to EE department	In working condition	
61	Plier (Make: Marico)	2	03.10.2005	Monga Electricals, Opposite Main Post Office, Sirsa	148/-	Issued to EE department	In working condition	
62	Screw Driver Set	6 Set	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	1080/-	Issued to EE department	In working condition	
63	Screw Driver	3	03.10.2005	Monga Electricals, Opposite Main Post Office, Sirsa	60/-	Issued to EE department	In working condition	
64	Spanner Set (6 to 22No.)	06 set	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	720/-	Issued to EE department	In working condition	
65	Wire Cutter	6	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	150/-	Issued to EE department	In working condition	
66	Wire Cutter	3	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	300/-	Issued to EE department	In working condition	
67	Hammer Set (500, 4000, 800mg)	10	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	1900/-	Issued to EE department	In working condition	
68	Tube Set (Make: Phillips)	2	03.10.2005	Monga Electricals, Opposite Main Post Office, Sirsa	496/-	Issued to EE department	Not in working condition	Yes, reparable
69	Tester Kit	6	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	720/-	Issued to EE department	In working condition	
70	Tester Kit	3	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	300/-	Issued to EE department	In working condition	
71	Tester	4	03.10.2005	Monga Electricals, Opposite Main Post Office, Sirsa	40/-	Issued to EE department	In working condition	

72	Drilling Machine 13mm2	1	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	650/-	Issued to EE department	In working condition	
73	Logic Gates Kit	1	01.02.2007	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	1610/-	Issued to EE department	In working condition	
74	DC Motor Shunt Type. 3HP, 1500rpm, 230V with control panel (Make: Kirloskar)	1	31.05.2006	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	40186/-	Issued to EE department	In working condition	
75	DC Generator Shunt Wound Type, 2KW, 15000rpm. 230V, Forced Cooled type (Make: Kirloskar)	1	14.07.2006	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	31824/-	Issued to EE department	In working condition	
76	Sodium Vapour Lamp (150Watt)	1	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	2750/-	Issued to EE department	In working condition	
77	High Pressure Mercury Lamp (250Watt)	1	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	3000/-	Issued to EE department	In working condition	
78	Stair Case Wiring arrangement	1	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	200/-	Issued to EE department	In working condition	
79	House Wiring Conduit and Batten arrangement	2	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	650/-	Issued to EE department	In working condition	
80	Heater (150Watt)	1	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	100/-	Issued to EE department	Not in working condition	Yes, reparable
81	Iron (750Watt)	1	20.10.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	350/-	Issued to EE department	Not in working condition	Not reparable
82	Step Up Chopper kit	1	28.02.2013	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	10500/-	Issued to EE department	In working condition	

83	Jones Chopper kit	1	28.02.2013	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	11650/-	Issued to EE department	In working condition	
84	Morgan's Chopper Kit	1	28.02.2013	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	11650/-	Issued to EE department	In working condition	
85	Series Inverter using SCRs Kit	1	28.02.2013	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	11650/-	Issued to EE department	In working condition	
86	8051 Microcontroller kits with Inbuilt Power supply	4	11.05.2013	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	37512/-	Issued to EE department	In working condition	
87	Instrumentation Trainer using Transducers	1	22.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	31570/-	Issued to EE department	In working condition	
88	Pressure Measurement using Strain Gauge kit	1	22.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	12243/-	Issued to EE department	In working condition	
89	Anderson's Bridge to measure the medium Inductance with inbuilt power supply	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	6320/-	Issued to EE department	In working condition	
90	De Sauty's bridge to measure capacitance wiht inbuilt power supply	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	6320/-	Issued to EE department	In working condition	
91	Galvanometer 30/0/30 division sensivity of $2\mu\text{A}/\text{div}$.	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	300/-	Issued to EE department	In working condition	
92	DC source 1-12V, 10A	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	7000/-	Issued to EE department	In working condition	

93	Kelvin's bridge kit to measure low resistance	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	6000/-	Issued to EE department	In working condition	
94	Maxwell's Inductance bridge to measure low inductance with inbuilt power supply	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	6000/-	Issued to EE department	In working condition	
95	Schering Bridge to measure capacitance with inbuilt power supply	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	7000/-	Issued to EE department	In working condition	
96	Wheat Stone's bridge to measure the resistance (Portable)	1	31.03.2014	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	5240/-	Issued to EE department	In working condition	
97	Linear System Simulator (Open Loop and Closed Loop system of I and II order system)	1	24.01.2015	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	15000/-	Issued to EE department	In working condition	
98	Stepper Motor Controller Trainer	1	24.01.2015	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	19000/-	Issued to EE department	In working condition	
99	Characteristics of Potentiometer Trainer Kit	1	24.01.2015	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	8000/-	Issued to EE department	In working condition	
100	Speed Control of DC Shunt Motor (1HP), complete with motor, Complete unit with motor, inbuilt power supply and accessories like Ammeter, Voltmeter, rheostats etc.	1	02.05.2016	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	44468/-	Issued to EE department	In working condition	

101	Three phase Fully Controlled Rectifier Fed Separately Excited DC Motor (1HP) at different firing angle for obtaining speed-torque characteristics. Complete unit with motor and accessories with belt-pully arrangement.	1	21.04.2016	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	49467/-	Issued to EE department	In working condition	
102	Chopper Control of DC Series motor (1HP) for speed torque characteristics	1	01.08.2015	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	49468/-	Issued to EE department	In working condition	
103	Light Intensity control using SCR and TRIAC	1	10.03.2006	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	2750/-	Issued to EE department	In working condition	
104	SCR Commutation Techniques kit	1	10.03.2006	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	8250/-	Issued to EE department	In working condition	
105	SCR Single Phase Half Wave Converter	1	10.03.2006	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	2750/-	Issued to EE department	In working condition	
106	Phase Control using TRIAC	1	10.03.2006	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	2750/-	Issued to EE department	In working condition	
107	Thyristor Firing Circuits Kit	1	10.03.2006	The Ambala Central Cooperation Consumers Store Limited, Ambala Cantt.	2750/-	Issued to EE department	In working condition	

108	Auto Transformer (1-phase) 50-60Hz, 8A, 240V, 0-270V	6	21.03.2006	Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra)	16794/-	Issued to EE department	In working condition	
109	Auto Transformer (1-phase) 50-60Hz, 15A, 240V, 0-270V	4	21.03.2006	Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra)	17764/-	Issued to EE department	In working condition	
110	Single Phase Transformer 1KVA, 50Hz, 230V	2	21.03.2006	Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra)	11998/-	Issued to EE department	In working condition	
111	Single Phase Transformer 1KVA, 50Hz, 230V/115V	3	21.03.2006	Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra)	15639/-	Issued to EE department	In working condition	
112	Single Phase Transformer 2KVA, 50Hz, 230V/115V,	2	21.03.2006	Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra)	17764/-	Issued to EE department	In working condition	
113	Three Phase Transformers 4KVA, 50Hz, 440V/215V	1	21.03.2006	Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra)	17571/-	Issued to EE department	In working condition	
114	Three Phase Transformers 2KVA, 50Hz, 440V/215V	2	21.03.2006	Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra)	19984/-	Issued to EE department	In working condition	
115	Wire 1mm2	03 roll	26.03.2014	Sachdeva Electricals, Shiv Chowk, Sirsa	2070/-	Issued to EE department	In working condition	
116	Wire 1.5mm2	02 roll	26.03.2014	Sachdeva Electricals, Shiv Chowk, Sirsa	2040/-	Issued to EE department	In working condition	
117	Wire 2.5mm2 (Make: Mayur)	05 roll	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	5950/-	Issued to EE department	In working condition	
118	Wire 4mm2 (Make: Mayur)	05 roll	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	9350/-	Issued to EE department	In working condition	
119	Cable 3 Core 23/76 (Make: Mayur)	02 roll	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	1830/-	Issued to EE department	In working condition	
120	Cable 4 Core 23/76 (Make: Mayur)	02 roll	10.04.2007	Sharan Electricals, Old Civil Hospital Road, Sirsa	2320/-	Issued to EE department	In working condition	

121	Lab tables of size 6'x3'x3' (Sheesham Wood)	8	28.08.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	45760/-	Issued to EE department	In working condition	
122	Lab tables of size 6'x3'x3' (Sheesham Wood). For Leg size 2.75"x 2.75". Top model 18mm, 15Amp.	8	12.07.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	45760/-	Issued to EE department	In working condition	
123	Lab tables of size 6'x3'x3' (Sheesham Wood). For Leg size 2.75"x 2.75". Top model	8	05.11.2005	The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.	45760/-	Issued to EE department	In working condition	
124	Trainer for Speed Contorl of Slip Ring Induction motor, 3-phase, 440V, 3HP, 50Hz with suitable panel arranegement with motor	2	23.06.2003	Govt. Poytechnic for Women, Faridabad	Shifted from Govt. Polytechnic for Women, Faridabad	Issued to EE department	In working condition	
125	3-phase Starter (Star-Delta)	2	23.06.2003	Govt. Poytechnic for Women, Faridabad	Shifted from Govt. Polytechnic for Women, Faridabad 1090/-	Issued to EE department	In working condition	
126	Loading Rheostat 2.5KW, 10Amp.	2	23.06.2003	Govt. Poytechnic for Women, Faridabad	Shifted from Govt. Polytechnic for Women, Faridabad 6048/-	Issued to EE department	In working condition	
127	DC Shunt Motor (Direct Test) 220V, 3KW, 1500rpm, with 3 point starter and Pony break loading	1	23.06.2003	Govt. Poytechnic for Women, Faridabad	Shifted from Govt. Polytechnic for Women, Faridabad	Issued to EE department	In working condition	

128	Vacuum Filtration Pump	4	09.07.2003	Govt. Polytechnic, Mndi Adampur	Shifted from Govt. Polytechnic Mandi Adampur	Issued to EE department	In working condition	
129	Verification of Theorems (Norton's, Thevenin's & Superposition) kit	3	24.12.2016	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	11700/-	Issued to EE department	In working condition	
130	Verification of Kirchhoff's (KVL and KCL) Law kit	4	20.12.2016	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	16560/-	Issued to EE department	In working condition	
131	Verification of LCR Resonance kit	3	20.12.2016	Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.	12510/-	Issued to EE department	In working condition	
132	Transmission Line Trainer	1	16.02.2017	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	26500/-	Issued to EE department	In working condition	
133	Transformer Oil Testing Kit	1	16.02.2017	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	19990/-	Issued to EE department	In working condition	
134	Single Phase Parallel Inverter	1	03.02.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	5594/-	Issued to EE department	In working condition	
135	Single Phase Dual Converter	1	03.02.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	16525/-	Issued to EE department	In working condition	

136	IGBT Baed PWM Inverter	1	03.02.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	18644/-	Issued to EE department	In working condition	
137	3-phase VSI Inverter Controlled Squirrel Cage Induction motor drive (through controlled rectifier)	1	14.03.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	49501/-	Issued to EE department	In working condition	
138	Charts Big Sized 30" x 40" size laminated and attached with rollers	15	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	11250/-	Issued to EE department	In working condition	
139	Big sized Scientist Charts of size 20: x 26" laminated and framed with board.	7	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	6300/-	Issued to EE department	In working condition	
140	P-N junction Diode applicaiton Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	2034/-	Issued to EE department	In working condition	
141	Study of Thyristor Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	4068/-	Issued to EE department	In working condition	
142	TRIAC Characteristics Application Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	4068/-	Issued to EE department	In working condition	
143	Transistor Characteristics App. Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	2796/-	Issued to EE department	In working condition	

144	MOSFET Characteristics App. Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	3814/-	Issued to EE department	In working condition	
145	TRIAC Phase Control Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	4661/-	Issued to EE department	In working condition	
146	Bridge Inverter App. Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	5593/-	Issued to EE department	In working condition	
147	Single Phase Cycloconverter Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	18795/-	Issued to EE department	In working condition	
148	Study of Buck Boost and Cuk Regulator Kit	1	10.10.2018	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	15000/-	Issued to EE department	In working condition	
149	Cut Section of 1-Phase Transformer 1KVA, 230/115V, 50Hz	1	19.07.2021	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	20000/-	Issued to EE department	In working condition	
150	Cut Section of DC Motor 1HP with 3-Point Starter	1	19.07.2021	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	25000/-	Issued to EE department	In working condition	
151	DC Supply for DC Motor 1HP	1	19.07.2021	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	8000/-	Issued to EE department	In working condition	

152	Cut Section of 3-Phase Induction Motor with DOL Starter	1	19.07.2021	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	26000/-	Issued to EE department	In working condition	
153	Rheostat 1080Ohm, 0.6Amp	1	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	2650/-	Issued to EE department	In working condition	
154	Rheostat 250Ohm, 1Amp	1	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	1600/-	Issued to EE department	In working condition	
155	Rheostat 250Ohm, 1.2Amp	1	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	1680/-	Issued to EE department	In working condition	
156	Rheostat 350Ohm, 1.5Amp	2	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	5120/-	Issued to EE department	In working condition	
157	Rheostat 150Ohm, 2Amp	1	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	2000/-	Issued to EE department	In working condition	
158	Rheostat 100Ohm, 2.5Amp	1	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	1600/-	Issued to EE department	In working condition	
159	Rheostat 150Ohm, 2.5Amp	1	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	2000/-	Issued to EE department	In working condition	

160	Rheostat 50Ohm, 5Amp	2	01.02.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	4900/-	Issued to EE department	In working condition	
161	Digital Storage Oscilloscope (DSO)0-50MHz, 2 Channel, Memory Depth 200K points, Wfrm Update Rate \geq 100,000, Vertical Sensitivity 500 μ V/Div to 10V/Div. In-built array of training signals,. DVM Standard I ² C UART/RD-32, USB and LAN Interface with compatible software to connect and control the instrument and to build custom test. sequence with the integrated test flow app to autimate the visualize test reults without need for instrument programming.	2	19.07.2022	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	94,400/-	Issued to EE department	In working condition	
162	PID Controller Trainer	1	18.02.2023	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	18300/-	Issued to EE department	In working condition	
163	DC Position Control Trainer	1	18.02.2023	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	27500/-	Issued to EE department	In working condition	
164	Relay Control System	1	18.02.2023	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	17000/-	Issued to EE department	In working condition	

165	Microcontroller Kit	1	18.02.2023	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	9000/-	Issued to EE department	In working condition	
166	ADC interfacing Card	1	18.02.2023	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	3000/-	Issued to EE department	In working condition	
167	Stepper Motor Control Card	1	18.02.2023	Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt.	4000/-	Issued to EE department	In working condition	
168	Study of Scott Connection (3-phase to 2-phase) of Transformer (Teaser and Main Transformer)	1	16.03.2024	Byozen Scientific, 74, Gobind Nagar, Ambala Cantt,	41800/-	Issued to EE department	In working condition	
169	Study of Parallel Operation of Two Single Phase Transformers	1	16.03.2024	Byozen Scientific, 74, Gobind Nagar, Ambala Cantt,	41800/-	Issued to EE department	In working condition	
170	IDMT Over Current Relay Testing Kit	1	28.03.2025	Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.	42000/-	Issued to EE department	In working condition	
171	Under Voltage/ Over Voltage Relay Testing Kit	1	28.03.2025	Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.	42000/-	Issued to EE department	In working condition	
172	Wire 1mm2 (Make: Aman)	3 roll	25.04.2025	Sachdeva Electricals, Shiv Chowk, Sirsa	2955/-	Issued to EE department	In working condition	
173	Wire 1.5mm2 (Make: Aman)	3 roll	25.04.2025	Sachdeva Electricals, Shiv Chowk, Sirsa	3720/-	Issued to EE department	In working condition	
174	Wire 2.5mm2 (Make: Aman)	2 roll	25.04.2025	Sachdeva Electricals, Shiv Chowk, Sirsa	4050/-	Issued to EE department	In working condition	

175	Setup to Study the different types of Power Cables and methods of laying the underground cables	01 setup	20.03.2026	Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.	97,940/-	Issued to EE department	In working condition	
176	Setup to study the different types of Insulators and to find string efficiency of the string insualors	01 setup	20.03.2026	Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.		Issued to EE department	In working condition	

Rs. 18,70,194/- (Rs. Eighteen Lacs Seventy Thousands One Hundred Ninety Four only)

Dated: 31.03.2026



**Head (EE Department)
CDL State Inst. of Engg. & Tech., Panniwala Mota**