

# Ch. Devi Lal State Institute of Engineering & Technology, Panniwala Mota (Sirsa)

Detail of Movable assests (Lab Equipment) of Electrical Engineering Department (As per Stock Register records)

Annexure-A

Upto 30.04.2026

| Sr. No. | Name of Item                                                               | Quantity | Date of Purchase | Name of Firm (M/s.)        | Purchase value | Issued to whom          | Status                             |                                             |
|---------|----------------------------------------------------------------------------|----------|------------------|----------------------------|----------------|-------------------------|------------------------------------|---------------------------------------------|
|         |                                                                            |          |                  |                            |                |                         | In working / Not Working condition | If Not Working , repairable or Not (Yes/No) |
| 1       | AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 0.5/1A  | 3        | 31.03.2005       | Satguru Enterprises, Hisar | 3885/-         | Issued to EE department | In working condition               |                                             |
| 2       | AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 1/2A    | 3        | 31.03.2005       | Satguru Enterprises, Hisar | 3885/-         | Issued to EE department | In working condition               |                                             |
| 3       | AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 2.5/5A  | 4        | 31.03.2005       | Satguru Enterprises, Hisar | 5180/-         | Issued to EE department | In working condition               |                                             |
| 4       | AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 5/10A   | 4        | 31.03.2005       | Satguru Enterprises, Hisar | 5180/-         | Issued to EE department | In working condition               |                                             |
| 5       | AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 15/30A  | 2        | 31.03.2005       | Satguru Enterprises, Hisar | 2590/-         | Issued to EE department | In working condition               |                                             |
| 6       | AC Ammeter Portable Moving Iron AC, dual scale accuracy class 1.0, 1/3/10A | 4        | 31.03.2005       | Satguru Enterprises, Hisar | 5180/-         | Issued to EE department | In working condition               |                                             |
| 7       | Energy Meter 1-phase Induction type, 250V, Industrial grade, 50Hz, 5-10A   | 2        | 11.02.2004       | Satguru Enterprises, Hisar | 990/-          | Issued to EE department | In working condition               |                                             |

|    |                                                                 |   |            |                                                             |         |                         |                          |                |
|----|-----------------------------------------------------------------|---|------------|-------------------------------------------------------------|---------|-------------------------|--------------------------|----------------|
| 8  | Energy Meter, 3-phase, Induction type, 4-wire, 50Hz, 10A, 440V, | 2 | 28.02.2004 | Mannu Enterprises, Delhi                                    | 2960/-  | Issued to EE department | Not in Wokring condition | Yes, reparable |
| 9  | Rheostats 1089 ohms, 0.6A                                       | 3 | 02.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 1770/-  | Issued to EE department | In working condition     |                |
| 10 | Rheostats 150 ohms,2A                                           | 3 | 02.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 1020/-  | Issued to EE department | In working condition     |                |
| 11 | Rheostats 0-350 ohms, 1.5A                                      | 3 | 02.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 1020/-  | Issued to EE department | In working condition     |                |
| 12 | Wattmeter Portable, 150mm                                       | 2 | 12.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 2400/-  | Issued to EE department | In working condition     |                |
| 13 | Wattmeter Portable, 0/5/10A, 0/250/500V or 0/125/250V           | 2 | 12.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 2400/-  | Issued to EE department | In working condition     |                |
| 14 | Wattmeter Portable, 1-phase, 1/2A, 75/150/300V                  | 4 | 06.05.2005 | Mannu Enterprises, New Delhi                                | 14600/- | Issued to EE department | In working condition     |                |
| 15 | Wattmeter Portable, 1-phase, 5/10A, 150/300/600V                | 4 | 06.05.2005 | Mannu Enterprises, New Delhi                                | 15600/- | Issued to EE department | In working condition     |                |
| 16 | Wattmeter Portable, 1-phase, 5/10A, 150/300/600V                | 4 | 06.05.2005 | Mannu Enterprises, New Delhi                                | 15600/- | Issued to EE department | In working condition     |                |
| 17 | Variable Capacitive load 3-phase, 440V, 15A,                    | 1 | 11.02.2004 | Satguru Enterprises, Hisar                                  | 11490/- | Issued to EE department | Not in working condition | Yes, reparable |
| 18 | Variable Lamp load 3-phase, 2KW, 440V                           | 2 | 12.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 4000/-  | Issued to EE department | In working condition     |                |

|    |                                                                                                                                |   |            |                                                             |         |                         |                          |                |
|----|--------------------------------------------------------------------------------------------------------------------------------|---|------------|-------------------------------------------------------------|---------|-------------------------|--------------------------|----------------|
| 19 | Variable Lamp load 1-phase, 2KW, 230V                                                                                          | 2 | 12.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 4000/-  | Issued to EE department | In working condition     |                |
| 20 | Variable Inductance load, 3-phase, 15A, 440V,                                                                                  | 1 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 12600/- | Issued to EE department | Not in Wokring condition | Yes, reparable |
| 21 | Variable capacitor, 0-10MFD,                                                                                                   | 2 | 02.01.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 1300/-  | Issued to EE department | Not in Wokring condition | Yes, reparable |
| 22 | DC regulated Multiple Output Power Supply 0-30Vdc out, 2A, & 3-15Vdc at 2A                                                     | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 13000/- | Issued to EE department | In working condition     |                |
| 23 | Digital Meter Multimeter 3.5digit, LCD display                                                                                 | 2 | 25.12.2003 | Shree Lalji Traders, Hisar                                  | 2808/-  | Issued to EE department | In working condition     |                |
| 24 | Inductance boxes. 0-200KHz, accuracy 0.5%                                                                                      | 2 | 22.03.2004 | Zodiac Electrical and Scientific Cooperation, Ambala Cantt. | 4056/-  | Issued to EE department | In working condition     |                |
| 25 | Inductor, 0.8A Choke, 0.4A                                                                                                     | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 3200/-  | Issued to EE department | In working condition     |                |
| 26 | Transformers, 1-phase, 2KVA, 230V, 9A, 50Hz                                                                                    | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 5920/-  | Issued to EE department | In working condition     |                |
| 27 | Auto Transformers, 3-phase, 0-400V, 15A                                                                                        | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 13600/- | Issued to EE department | In working condition     |                |
| 28 | Auto Transformers, 3-phase, 0-400V, 25A                                                                                        | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 18200/- | Issued to EE department | In working condition     |                |
| 29 | Induction Motor 3-phase Squirrel Cage, 440V with control panel having voltmeter, ammeter, pulley-belt & spring load arrangment | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 23400/- | Issued to EE department | In working condition     |                |
| 30 | Induction motor 1-phase, 1HP, capacitor start, 250V, 50Hz                                                                      | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                | 4720/-  | Issued to EE department | In working condition     |                |

|    |                                                                                        |   |            |                                                                        |         |                         |                      |  |
|----|----------------------------------------------------------------------------------------|---|------------|------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 31 | Oscilloscope Dual channel, 0-30MHz                                                     | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                           | 39600/- | Issued to EE department | In working condition |  |
| 32 | Earth Tester 500V, 0-10-100 ohms                                                       | 2 | 28.04.2004 | Mannu Enterprises, New Delhi                                           | 2960/-  | Issued to EE department | In working condition |  |
| 33 | Stop Watch digital                                                                     | 4 | 11.02.2004 | Satguru Enterprises, Hisar                                             | 680/-   | Issued to EE department | In working condition |  |
| 34 | Digital Contact type Tachometer 0-9999rpm, 3.5 digit                                   | 2 | 02.01.2004 | Zodiac Electrical and Scientific Corporation, Ambala Cantt.            | 3800/-  | Issued to EE department | In working condition |  |
| 35 | AC Ammeter Portable Moving Iron dual scale, wiht Bakelite housing 0.5/1A, accuracy 1.0 | 3 | 01.02.2007 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 4650/-  | Issued to EE department | In working condition |  |
| 36 | AC Voltmeter 150/300V                                                                  | 5 | 02.09.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 6440/-  | Issued to EE department | In working condition |  |
| 37 | AC Voltmeter 300/600V                                                                  | 5 | 02.09.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 6440/-  | Issued to EE department | In working condition |  |
| 38 | AC Voltmeter 125/250/500V                                                              | 4 | 02.09.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 5380/-  | Issued to EE department | In working condition |  |
| 39 | AC Voltmeter 75/150/300V                                                               | 4 | 02.09.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 5380/-  | Issued to EE department | In working condition |  |
| 40 | AC Voltmeter 15/30/75V                                                                 | 4 | 02.09.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 5380/-  | Issued to EE department | In working condition |  |

|    |                         |   |            |                                                                                 |        |                            |                         |  |
|----|-------------------------|---|------------|---------------------------------------------------------------------------------|--------|----------------------------|-------------------------|--|
| 41 | Shift Register Kit      | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1541/- | Issued to EE<br>department | In working<br>condition |  |
| 42 | DeMorgan's Theorem Kit  | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1323/- | Issued to EE<br>department | In working<br>condition |  |
| 43 | 4 Bit Multiplexer kit   | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1668/- | Issued to EE<br>department | In working<br>condition |  |
| 44 | 4 Bit Demultiplexer kit | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1668/- | Issued to EE<br>department | In working<br>condition |  |
| 45 | BCD to Decimal kit      | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1932/- | Issued to EE<br>department | In working<br>condition |  |
| 46 | BCD to 7 Segement Kit   | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1725/- | Issued to EE<br>department | In working<br>condition |  |
| 47 | Half & Full Adder Kit   | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1334/- | Issued to EE<br>department | In working<br>condition |  |
| 48 | Johnson's kit           | 1 | 01.02.2007 | The Ambala Central<br>Coorporation Consumers<br>Store Limited, Ambala<br>Cantt. | 1495/- | Issued to EE<br>department | In working<br>condition |  |

|    |                                       |   |            |                                                                        |        |                         |                      |  |
|----|---------------------------------------|---|------------|------------------------------------------------------------------------|--------|-------------------------|----------------------|--|
| 49 | Study of Counters kit                 | 1 | 01.02.2007 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 2530/- | Issued to EE department | In working condition |  |
| 50 | BCD (Binary) to Grey (Vice-Versa) kit | 1 | 01.02.2007 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 1610/- | Issued to EE department | In working condition |  |
| 51 | Excess 3 to BCD and Vice Versa kit    | 1 | 01.02.2007 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 2070/- | Issued to EE department | In working condition |  |
| 52 | Study of Synchronous Counter kit      | 1 | 01.02.2007 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 2415/- | Issued to EE department | In working condition |  |
| 53 | Decimal to BCD Encoder kit            | 1 | 01.02.2007 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 1680/- | Issued to EE department | In working condition |  |
| 54 | DC-AC Converter, 750VA                | 2 | 26.03.2007 | Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa     | 6600/- | Issued to EE department | In working condition |  |
| 55 | DC-AC Converter, 1400VA               | 1 | 26.03.2007 | Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa     | 5150/- | Issued to EE department | In working condition |  |
| 56 | Voltage Regulator, 1KVA               | 2 | 26.03.2007 | Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa     | 2300/- | Issued to EE department | In working condition |  |
| 57 | Voltage Regulator, 0.5KVA             | 2 | 26.03.2007 | Super battery House, Booth No. 25, CC 1st, Additional Mandi, Sirsa     | 1440/- | Issued to EE department | In working condition |  |

|    |                                  |        |            |                                                                          |         |                            |                                |                |
|----|----------------------------------|--------|------------|--------------------------------------------------------------------------|---------|----------------------------|--------------------------------|----------------|
| 58 | Control Circuit Card 750VA       | 3      | 26.03.2007 | Super battery House,<br>Booth No. 25, CC 1st,<br>Additional Mandi, Sirsa | 1485/-  | Issued to EE<br>department | In working<br>condition        |                |
| 59 | Battery 12V, 150Ah               | 2      | 26.03.2007 | Super battery House,<br>Booth No. 25, CC 1st,<br>Additional Mandi, Sirsa | 10800/- | Issued to EE<br>department | Not in<br>working<br>condition | Not repairbale |
| 60 | Plier 8" (Make: Venus)           | 6      | 10.04.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 450/-   | Issued to EE<br>department | In working<br>condition        |                |
| 61 | Plier (Make: Marico)             | 2      | 03.10.2005 | Monga Electricals,<br>Opposite Main Post Office,<br>Sirsa                | 148/-   | Issued to EE<br>department | In working<br>condition        |                |
| 62 | Screw Driver Set                 | 6 Set  | 10.04.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 1080/-  | Issued to EE<br>department | In working<br>condition        |                |
| 63 | Screw Driver                     | 3      | 03.10.2005 | Monga Electricals,<br>Opposite Main Post Office,<br>Sirsa                | 60/-    | Issued to EE<br>department | In working<br>condition        |                |
| 64 | Spanner Set (6 to 22No.)         | 06 set | 10.04.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 720/-   | Issued to EE<br>department | In working<br>condition        |                |
| 65 | Wire Cutter                      | 6      | 10.04.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 150/-   | Issued to EE<br>department | In working<br>condition        |                |
| 66 | Wire Cutter                      | 3      | 20.10.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 300/-   | Issued to EE<br>department | In working<br>condition        |                |
| 67 | Hammer Set (500, 4000,<br>800mg) | 10     | 10.04.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 1900/-  | Issued to EE<br>department | In working<br>condition        |                |
| 68 | Tube Set (Make: Phillips)        | 2      | 03.10.2005 | Monga Electricals,<br>Opposite Main Post Office,<br>Sirsa                | 496/-   | Issued to EE<br>department | Not in<br>working<br>condition | Yes, reparable |
| 69 | Tester Kit                       | 6      | 10.04.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 720/-   | Issued to EE<br>department | In working<br>condition        |                |
| 70 | Tester Kit                       | 3      | 20.10.2007 | Sharan Electricals, Old<br>Civil Hospital Road, Sirsa                    | 300/-   | Issued to EE<br>department | In working<br>condition        |                |
| 71 | Tester                           | 4      | 03.10.2005 | Monga Electricals,<br>Opposite Main Post Office,<br>Sirsa                | 40/-    | Issued to EE<br>department | In working<br>condition        |                |

|    |                                                                                          |   |            |                                                                        |         |                         |                          |                |
|----|------------------------------------------------------------------------------------------|---|------------|------------------------------------------------------------------------|---------|-------------------------|--------------------------|----------------|
| 72 | Drilling Machine 13mm2                                                                   | 1 | 10.04.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                     | 650/-   | Issued to EE department | In working condition     |                |
| 73 | Logic Gates Kit                                                                          | 1 | 01.02.2007 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 1610/-  | Issued to EE department | In working condition     |                |
| 74 | DC Motor Shunt Type. 3HP, 1500rpm, 230V with control panel (Make: Kirloskar)             | 1 | 31.05.2006 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 40186/- | Issued to EE department | In working condition     |                |
| 75 | DC Generator Shunt Wound Type, 2KW, 15000rpm. 230V, Forced Cooled type (Make: Kirloskar) | 1 | 14.07.2006 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 31824/- | Issued to EE department | In working condition     |                |
| 76 | Sodium Vapour Lamp (150Watt)                                                             | 1 | 20.10.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                     | 2750/-  | Issued to EE department | In working condition     |                |
| 77 | High Pressure Mercury Lamp (250Watt)                                                     | 1 | 20.10.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                     | 3000/-  | Issued to EE department | In working condition     |                |
| 78 | Stair Case Wiring arrangement                                                            | 1 | 20.10.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                     | 200/-   | Issued to EE department | In working condition     |                |
| 79 | House Wiring Conduit and Batten arrangement                                              | 2 | 20.10.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                     | 650/-   | Issued to EE department | In working condition     |                |
| 80 | Heater (150Watt)                                                                         | 1 | 20.10.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                     | 100/-   | Issued to EE department | Not in working condition | Yes, reparable |
| 81 | Iron (750Watt)                                                                           | 1 | 20.10.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                     | 350/-   | Issued to EE department | Not in working condition | Not reparable  |
| 82 | Step Up Chopper kit                                                                      | 1 | 28.02.2013 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.    | 10500/- | Issued to EE department | In working condition     |                |

|    |                                                                              |   |            |                                                                     |         |                         |                      |  |
|----|------------------------------------------------------------------------------|---|------------|---------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 83 | Jones Chopper kit                                                            | 1 | 28.02.2013 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 11650/- | Issued to EE department | In working condition |  |
| 84 | Morgan's Chopper Kit                                                         | 1 | 28.02.2013 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 11650/- | Issued to EE department | In working condition |  |
| 85 | Series Inverter using SCRs Kit                                               | 1 | 28.02.2013 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 11650/- | Issued to EE department | In working condition |  |
| 86 | 8051 Microcontroller kits with Inbuilt Power supply                          | 4 | 11.05.2013 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 37512/- | Issued to EE department | In working condition |  |
| 87 | Instrumentation Trainer using Transducers                                    | 1 | 22.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 31570/- | Issued to EE department | In working condition |  |
| 88 | Pressure Measurement using Strain Gauge kit                                  | 1 | 22.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 12243/- | Issued to EE department | In working condition |  |
| 89 | Anderson's Bridge to measure the medium Inductance with inbuilt power supply | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 6320/-  | Issued to EE department | In working condition |  |
| 90 | De Sauty's bridge to measure capacitance wiht inbuilt power supply           | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 6320/-  | Issued to EE department | In working condition |  |
| 91 | Galvanometer 30/0/30 division sensitivity of $2\mu\text{A}/\text{div.}$      | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 300/-   | Issued to EE department | In working condition |  |
| 92 | DC source 1-12V, 10A                                                         | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt. | 7000/-  | Issued to EE department | In working condition |  |

|     |                                                                                                                                                                    |   |            |                                                                                               |         |                         |                      |  |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------------|-----------------------------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 93  | Kelvin's bridge kit to measure low resistance                                                                                                                      | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 6000/-  | Issued to EE department | In working condition |  |
| 94  | Maxwell's Inductance bridge to measure low inductance with inbuilt power supply                                                                                    | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 6000/-  | Issued to EE department | In working condition |  |
| 95  | Schering Bridge to measure capacitance with inbuilt power supply                                                                                                   | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 7000/-  | Issued to EE department | In working condition |  |
| 96  | Wheat Stone's bridge to measure the resistance (Portable)                                                                                                          | 1 | 31.03.2014 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 5240/-  | Issued to EE department | In working condition |  |
| 97  | Linear System Simulator (Open Loop and Closed Loop system of I and II order system)                                                                                | 1 | 24.01.2015 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 15000/- | Issued to EE department | In working condition |  |
| 98  | Stepper Motor Controller Trainer                                                                                                                                   | 1 | 24.01.2015 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 19000/- | Issued to EE department | In working condition |  |
| 99  | Characteristics of Potentiometer Trainer Kit                                                                                                                       | 1 | 24.01.2015 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 8000/-  | Issued to EE department | In working condition |  |
| 100 | Speed Control of DC Shunt Motor (1HP), complete with motor, Complete unit with motor, inbuilt power supply and accessories like Ammeter, Voltmeter, rheostats etc. | 1 | 02.05.2016 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 44468/- | Issued to EE department | In working condition |  |

|     |                                                                                                                                                                                                                          |   |            |                                                                                               |         |                         |                      |  |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------------|-----------------------------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 101 | Three phase Fully Controlled Rectifier Fed Separately Excited DC Motor (1HP) at different firing angle for obtaining speed-torque characteristics. Complete unit with motor and accessories with belt-pully arrangement. | 1 | 21.04.2016 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 49467/- | Issued to EE department | In working condition |  |
| 102 | Chopper Control of DC Series motor (1HP) for speed torque characteristics                                                                                                                                                | 1 | 01.08.2015 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 49468/- | Issued to EE department | In working condition |  |
| 103 | Light Intensity control using SCR and TRIAC                                                                                                                                                                              | 1 | 10.03.2006 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.                        | 2750/-  | Issued to EE department | In working condition |  |
| 104 | SCR Commutation Techniques kit                                                                                                                                                                                           | 1 | 10.03.2006 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.                        | 8250/-  | Issued to EE department | In working condition |  |
| 105 | SCR Single Phase Half Wave Converter                                                                                                                                                                                     | 1 | 10.03.2006 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.                        | 2750/-  | Issued to EE department | In working condition |  |
| 106 | Phase Control using TRIAC                                                                                                                                                                                                | 1 | 10.03.2006 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.                        | 2750/-  | Issued to EE department | In working condition |  |
| 107 | Thyristor Firing Circuits Kit                                                                                                                                                                                            | 1 | 10.03.2006 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt.                        | 2750/-  | Issued to EE department | In working condition |  |

|     |                                                       |         |            |                                                                           |         |                         |                      |  |
|-----|-------------------------------------------------------|---------|------------|---------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 108 | Auto Transformer (1-phase) 50-60Hz, 8A, 240V, 0-270V  | 6       | 21.03.2006 | Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra) | 16794/- | Issued to EE department | In working condition |  |
| 109 | Auto Transformer (1-phase) 50-60Hz, 15A, 240V, 0-270V | 4       | 21.03.2006 | Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra) | 17764/- | Issued to EE department | In working condition |  |
| 110 | Single Phase Transformer 1KVA, 50Hz, 230V             | 2       | 21.03.2006 | Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra) | 11998/- | Issued to EE department | In working condition |  |
| 111 | Single Phase Transformer 1KVA, 50Hz, 230V/115V        | 3       | 21.03.2006 | Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra) | 15639/- | Issued to EE department | In working condition |  |
| 112 | Single Phase Transformer 2KVA, 50Hz, 230V/115V,       | 2       | 21.03.2006 | Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra) | 17764/- | Issued to EE department | In working condition |  |
| 113 | Three Phase Transformers 4KVA, 50Hz, 440V/215V        | 1       | 21.03.2006 | Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra) | 17571/- | Issued to EE department | In working condition |  |
| 114 | Three Phase Transformers 2KVA, 50Hz, 440V/215V        | 2       | 21.03.2006 | Automatic Electric Ltd. E-3, Wagle Industries Estate, Thane (Maharashtra) | 19984/- | Issued to EE department | In working condition |  |
| 115 | Wire 1mm2                                             | 03 roll | 26.03.2014 | Sachdeva Electricals, Shiv Chowk, Sirsa                                   | 2070/-  | Issued to EE department | In working condition |  |
| 116 | Wire 1.5mm2                                           | 02 roll | 26.03.2014 | Sachdeva Electricals, Shiv Chowk, Sirsa                                   | 2040/-  | Issued to EE department | In working condition |  |
| 117 | Wire 2.5mm2 (Make: Mayur)                             | 05 roll | 10.04.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                        | 5950/-  | Issued to EE department | In working condition |  |
| 118 | Wire 4mm2 (Make: Mayur)                               | 05 roll | 10.04.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                        | 9350/-  | Issued to EE department | In working condition |  |
| 119 | Cable 3 Core 23/76 (Make: Mayur)                      | 02 roll | 10.04.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                        | 1830/-  | Issued to EE department | In working condition |  |
| 120 | Cable 4 Core 23/76 (Make: Mayur)                      | 02 roll | 10.04.2007 | Sharan Electricals, Old Civil Hospital Road, Sirsa                        | 2320/-  | Issued to EE department | In working condition |  |

|     |                                                                                                                              |   |            |                                                                        |                                                            |                         |                      |  |
|-----|------------------------------------------------------------------------------------------------------------------------------|---|------------|------------------------------------------------------------------------|------------------------------------------------------------|-------------------------|----------------------|--|
| 121 | Lab tables of size 6'x3'x3' (Sheesham Wood)                                                                                  | 8 | 28.08.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 45760/-                                                    | Issued to EE department | In working condition |  |
| 122 | Lab tables of size 6'x3'x3' (Sheesham Wood). For Leg size 2.75"x 2.75". Top model 18mm, 15Amp.                               | 8 | 12.07.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 45760/-                                                    | Issued to EE department | In working condition |  |
| 123 | Lab tables of size 6'x3'x3' (Sheesham Wood). For Leg size 2.75"x 2.75". Top model                                            | 8 | 05.11.2005 | The Ambala Central Coorporation Consumers Store Limited, Ambala Cantt. | 45760/-                                                    | Issued to EE department | In working condition |  |
| 124 | Trainer for Speed Contorl of Slip Ring Induction motor, 3-phase, 440V, 3HP, 50Hz with suitable panel arranegement with motor | 2 | 23.06.2003 | Govt. Poytechnic for Women, Faridabad                                  | Shifted from Govt. Polytechnic for Women, Faridabad        | Issued to EE department | In working condition |  |
| 125 | 3-phase Starter (Star-Delta)                                                                                                 | 2 | 23.06.2003 | Govt. Poytechnic for Women, Faridabad                                  | Shifted from Govt. Polytechnic for Women, Faridabad 1090/- | Issued to EE department | In working condition |  |
| 126 | Loading Rheostat 2.5KW, 10Amp.                                                                                               | 2 | 23.06.2003 | Govt. Poytechnic for Women, Faridabad                                  | Shifted from Govt. Polytechnic for Women, Faridabad 6048/- | Issued to EE department | In working condition |  |
| 127 | DC Shunt Motor (Direct Test) 220V, 3KW, 1500rpm, with 3 point starter and Pony break loading                                 | 1 | 23.06.2003 | Govt. Poytechnic for Women, Faridabad                                  | Shifted from Govt. Polytechnic for Women, Faridabad        | Issued to EE department | In working condition |  |

|     |                                                                     |   |            |                                                                                               |                                              |                         |                      |  |
|-----|---------------------------------------------------------------------|---|------------|-----------------------------------------------------------------------------------------------|----------------------------------------------|-------------------------|----------------------|--|
| 128 | Vacuum Filtration Pump                                              | 4 | 09.07.2003 | Govt. Polytechnic, Mndi Adampur                                                               | Shifted from Govt. Polytechnic Mandi Adampur | Issued to EE department | In working condition |  |
| 129 | Verification of Theorems (Norton's, Thevenin's & Superposition) kit | 3 | 24.12.2016 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 11700/-                                      | Issued to EE department | In working condition |  |
| 130 | Verification of Kirchhoff's (KVL and KCL) Law kit                   | 4 | 20.12.2016 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 16560/-                                      | Issued to EE department | In working condition |  |
| 131 | Verification of LCR Resonance kit                                   | 3 | 20.12.2016 | Mars Edpal Instruments Pvt. Ltd. 3575, Timber Market, Ambala Cantt.                           | 12510/-                                      | Issued to EE department | In working condition |  |
| 132 | Transmission Line Trainer                                           | 1 | 16.02.2017 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 26500/-                                      | Issued to EE department | In working condition |  |
| 133 | Transformer Oil Testing Kit                                         | 1 | 16.02.2017 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 19990/-                                      | Issued to EE department | In working condition |  |
| 134 | Single Phase Parallel Inverter                                      | 1 | 03.02.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 5594/-                                       | Issued to EE department | In working condition |  |
| 135 | Single Phase Dual Converter                                         | 1 | 03.02.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 16525/-                                      | Issued to EE department | In working condition |  |

|     |                                                                                                    |    |            |                                                                                               |         |                         |                      |  |
|-----|----------------------------------------------------------------------------------------------------|----|------------|-----------------------------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 136 | IGBT Baed PWM Inverter                                                                             | 1  | 03.02.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 18644/- | Issued to EE department | In working condition |  |
| 137 | 3-phase VSI Inverter Controlled Squirrel Cage Induction motor drive (through controlled rectifier) | 1  | 14.03.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 49501/- | Issued to EE department | In working condition |  |
| 138 | Charts Big Sized 30" x 40" size laminated and attached with rollers                                | 15 | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 11250/- | Issued to EE department | In working condition |  |
| 139 | Big sized Scientist Charts of size 20: x 26" laminated and framed with board.                      | 7  | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 6300/-  | Issued to EE department | In working condition |  |
| 140 | P-N junction Diode applicaiton Kit                                                                 | 1  | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 2034/-  | Issued to EE department | In working condition |  |
| 141 | Study of Thyristor Kit                                                                             | 1  | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 4068/-  | Issued to EE department | In working condition |  |
| 142 | TRIAC Characteristics Application Kit                                                              | 1  | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 4068/-  | Issued to EE department | In working condition |  |
| 143 | Transistor Characteristics App. Kit                                                                | 1  | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 2796/-  | Issued to EE department | In working condition |  |

|     |                                                         |   |            |                                                                                               |         |                         |                      |  |
|-----|---------------------------------------------------------|---|------------|-----------------------------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 144 | MOSFET Characteristics App. Kit                         | 1 | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 3814/-  | Issued to EE department | In working condition |  |
| 145 | TRIAC Phase Control Kit                                 | 1 | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 4661/-  | Issued to EE department | In working condition |  |
| 146 | Bridge Inverter App. Kit                                | 1 | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 5593/-  | Issued to EE department | In working condition |  |
| 147 | Single Phase Cycloconverter Kit                         | 1 | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 18795/- | Issued to EE department | In working condition |  |
| 148 | Study of Buck Boost and Cuk Regulator Kit               | 1 | 10.10.2018 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 15000/- | Issued to EE department | In working condition |  |
| 149 | Cut Section of 1-Phase Transformer 1KVA, 230/115V, 50Hz | 1 | 19.07.2021 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 20000/- | Issued to EE department | In working condition |  |
| 150 | Cut Section of DC Motor 1HP with 3-Point Starter        | 1 | 19.07.2021 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 25000/- | Issued to EE department | In working condition |  |
| 151 | DC Supply for DC Motor 1HP                              | 1 | 19.07.2021 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 8000/-  | Issued to EE department | In working condition |  |

|     |                                                         |   |            |                                                                                               |         |                         |                      |  |
|-----|---------------------------------------------------------|---|------------|-----------------------------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 152 | Cut Section of 3-Phase Induction Motor with DOL Starter | 1 | 19.07.2021 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 26000/- | Issued to EE department | In working condition |  |
| 153 | Rheostat 1080Ohm, 0.6Amp                                | 1 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 2650/-  | Issued to EE department | In working condition |  |
| 154 | Rheostat 250Ohm, 1Amp                                   | 1 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 1600/-  | Issued to EE department | In working condition |  |
| 155 | Rheostat 250Ohm, 1.2Amp                                 | 1 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 1680/-  | Issued to EE department | In working condition |  |
| 156 | Rheostat 350Ohm, 1.5Amp                                 | 2 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 5120/-  | Issued to EE department | In working condition |  |
| 157 | Rheostat 150Ohm, 2Amp                                   | 1 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 2000/-  | Issued to EE department | In working condition |  |
| 158 | Rheostat 100Ohm, 2.5Amp                                 | 1 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 1600/-  | Issued to EE department | In working condition |  |
| 159 | Rheostat 150Ohm, 2.5Amp                                 | 1 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 2000/-  | Issued to EE department | In working condition |  |

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |   |            |                                                                                               |          |                         |                      |  |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------------|-----------------------------------------------------------------------------------------------|----------|-------------------------|----------------------|--|
| 160 | Rheostat 50Ohm, 5Amp                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 2 | 01.02.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 4900/-   | Issued to EE department | In working condition |  |
| 161 | Digital Storage Oscilloscope (DSO)0-50MHz, 2 Channel, Memory Depth 200K points, Wfrm Update Rate $\geq 100,000$ , Vertical Sensitivity 500 $\mu$ V/Div to 10V/Div. In-built array of training signals,. DVM Standard I <sup>2</sup> C UART/RD-32, USB and LAN Interface with compatible software to connect and control the instrument and to build custom test. sequence with the integrated test flow app to autimate the visualize test reults without need for instrument programming. | 2 | 19.07.2022 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 94,400/- | Issued to EE department | In working condition |  |
| 162 | PID Controller Trainer                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1 | 18.02.2023 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 18300/-  | Issued to EE department | In working condition |  |
| 163 | DC Position Control Trainer                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1 | 18.02.2023 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 27500/-  | Issued to EE department | In working condition |  |
| 164 | Relay Control System                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 1 | 18.02.2023 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 17000/-  | Issued to EE department | In working condition |  |

|     |                                                                                             |        |            |                                                                                               |         |                         |                      |  |
|-----|---------------------------------------------------------------------------------------------|--------|------------|-----------------------------------------------------------------------------------------------|---------|-------------------------|----------------------|--|
| 165 | Microcontroller Kit                                                                         | 1      | 18.02.2023 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 9000/-  | Issued to EE department | In working condition |  |
| 166 | ADC interfacing Card                                                                        | 1      | 18.02.2023 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 3000/-  | Issued to EE department | In working condition |  |
| 167 | Stepper Motor Control Card                                                                  | 1      | 18.02.2023 | Satish Brothers, 4309/20, Marble House, Punjabi Mohalla, Near Rajiv Ultrasound, Ambala Cantt. | 4000/-  | Issued to EE department | In working condition |  |
| 168 | Study of Scott Connection (3-phase to 2-phase) of Transformer (Teaser and Main Transformer) | 1      | 16.03.2024 | Byozen Scientific, 74, Gobind Nagar, Ambala Cantt,                                            | 41800/- | Issued to EE department | In working condition |  |
| 169 | Study of Parallel Operation of Two Single Phase Transformers                                | 1      | 16.03.2024 | Byozen Scientific, 74, Gobind Nagar, Ambala Cantt,                                            | 41800/- | Issued to EE department | In working condition |  |
| 170 | IDMT Over Current Relay Testing Kit                                                         | 1      | 28.03.2025 | Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.                | 42000/- | Issued to EE department | In working condition |  |
| 171 | Under Voltage/ Over Voltage Relay Testing Kit                                               | 1      | 28.03.2025 | Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.                | 42000/- | Issued to EE department | In working condition |  |
| 172 | Wire 1mm2 (Make: Aman)                                                                      | 3 roll | 25.04.2025 | Sachdeva Electricals, Shiv Chowk, Sirsa                                                       | 2955/-  | Issued to EE department | In working condition |  |
| 173 | Wire 1.5mm2 (Make: Aman)                                                                    | 3 roll | 25.04.2025 | Sachdeva Electricals, Shiv Chowk, Sirsa                                                       | 3720/-  | Issued to EE department | In working condition |  |
| 174 | Wire 2.5mm2 (Make: Aman)                                                                    | 2 roll | 25.04.2025 | Sachdeva Electricals, Shiv Chowk, Sirsa                                                       | 4050/-  | Issued to EE department | In working condition |  |

|     |                                                                                                        |          |            |                                                                                        |          |                         |                      |  |
|-----|--------------------------------------------------------------------------------------------------------|----------|------------|----------------------------------------------------------------------------------------|----------|-------------------------|----------------------|--|
| 175 | Setup to Study the different types of Power Cables and methods of laying the underground cables        | 01 setup | 20.03.2026 | Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.         | 97,940/- | Issued to EE department | In working condition |  |
| 176 | Setup to study the different types of Insulators and to find string efficiency of the string insualors | 01 setup | 20.03.2026 | Mars Edpal Instruments Pvt. Ltd. 81, Sector-1, HSIIDC, IGC, Saha Ambala Cantt.         |          | Issued to EE department | In working condition |  |
| 177 | Buchholz Relay Test Setup (with Compressor & Oil)                                                      | 01 setup | 27.04.2026 | Guru Nanak Scientific Devices Pvt. Ltd. Plot No. 403, HSIIDC, IGC, Saha, Ambala Cantt. | 82,600/- | Issued to EE department | In working condition |  |

**Rs. 19,52,794/- (Rs. Nineteen Lacs Fifty Two Thousands Seven Hundred Ninety Four only)**

**Dated: 30.06.2026**



**Head (EE Department)**

**CDL State Inst. of Engg. & Tech., Panniwala Mota**